

- 1- Auricular cutaneous leishmaniasis: An unusual presentation of Leishmania major from Southwest Iran
- 2- The efficacy of adding topical 5-fluorouracil to micro-needling in the treatment of vitiligo: A randomized controlled trial
- 3- The assessment of suture spacing on the esthetic and functional outcomes of skin closures in different age groups
- 4- Intradermal Injection of 100mg Tranexamic Acid Versus Topical 4% Hydroquinone for the Treatment of Melasma: A Randomized, Controlled Trial
- 5- An organoid nevus with four adnexal differentiations: A case report
- 6- Efficacy of viable BCG vaccine paste in the treatment of common warts: a double-blind randomized control trial
- 7- Histoplasmosis affecting oral mucosa in an immunocompetent patient: A rarity in non-disseminated disease (Retracted article)
- 8- Sebaceoma in a Patient with a History of Kidney Transplantation
- 9- Efficacy of intradermal injection of tranexamic acid and ascorbic acid versus tranexamic acid and placebo in the treatment of melasma: A split-face comparative trial
- 10- Angiolymphoid hyperplasia with eosinophilia along with arteriovenous malformation: an unusual case
- 11- Effects of metformin on autoimmune immunoglobins and interferon- γ in patients with early diagnosed pemphigus vulgaris: a prospective clinical trial
- 12- Effectiveness and safety of formalin 5% vs. combined salicylic acid 16.7% and lactic acid 16.7% in flexible collodion for common and plantar warts: a randomized clinical trial
- 13- Adult-onset Eccrine Angiomatous Hamartoma: Report of a Rare Case
- 14- Lower lip plexiform schwannoma: report of a rare case and a literature review
- 15- Comparative efficacy of 50% trichloroacetic acid solution with 10% potassium hydroxide solution in the treatment of plane warts

- 16- Wound healing effects of topical Vitamin K: A randomized controlled trial
- 17- Intralesional triamcinolone alone or in combination with botulinum toxin A is ineffective for the treatment of formed keloid scar: A double blind controlled pilot study
- 18- Comparison of the efficacy of intradermal injected tranexamic acid vs hydroquinone cream in the treatment of melasma
- 19- Comparing Efficacy and Safety of Oral Tranexamic Acid and 4% Topical Hydroquinone Cream in Melasma Treatment: A Randomized Controlled Clinical Trial and Review of Literature