ارایه دهنده	ارایه دهنده	موضوع	تاريخ
دکتر رسولی	دکتر عسکری	Modified continuous femoral three-in-one block for postoperative pain after total knee arthroplasty/The influence of joint line position on knee stability after condylar knee arthroplasty. Clin Orthop Relat Res	14.1/۲/۷
دکتر مشرقی	دکتر خواجه ای	Factors affecting fracture location in atypical femoral fractures: a cross-sectional study with147 patients/Total knee arthroplasty using anatomic alignment can produce mid-flexion laxity.	14.1/7/14
		تعطیلی رسمی	14.1/7/71
دكتر داورپناه	دكتر نيكخواه	risk factor for upper ext.refracture in children/ Raising the Joint Line in TKA is Associated With Mid-flexion Laxity	14.1/7/7A
		,	14.1/4/4
دکتر خادمی	دکتر مزارعی	What's New in Shoulder and Elbow Surgery/Radiological assessment of the femoral bowing in Japanese population.	14.1/٣/11
دکتر رسولی	دکتر عسکری	Erratum_ Efficacy of Platelet-Rich Plasma in Soft Tissue Foot and Ankle Pathology/Postoperative imaging of anterior cruciate ligament reconstruction techniques across the spectrum of skeletal maturity	14.1/4/14
دکتر مشرقی	دکتر خواجه ای	Dropped Head Syndrome Caused by Thoracolumbar Deformity/Optimal radiography of the acutelyinjuredshoulder	14.1/4/20
دکتز خادمی	دکتر مزارعی	Comparison of the Effect of Intra-Articular, Periarticular, and Combined Injection of Analgesic on Pain Following Total Knee Arthroplasty-1/Non-weightbearing imaging and standard knee radiographs are inferior toformal alignment radiographs for calculating coronal alignment of the knee	14.1/.4/1
دكتر داورپناه	دكتر نيكخواه	Fibrocartilaginous Bed Injury of the Posterior Tibial Tendon Sheath/Painful paediatric hip: frog-leg lateral view only	14.1/.4/
دکتر رسولی	دکتر عسکری	Genetic Databases Contribute to Orthopaedic Practice/Measurement of knee joint gaps without bone resection: "physiologic" extension and flexion gaps in total knee arthroplasty are asymmetric and unequal and anterior and posterior	14.1/.4/10

			I -
		cruciate ligament resections produce different gap	
		changes	
دکتر مشرقی	دکتر خواجه ای	Iatrogenic Vertebral Fracture During Intramedullary Nailing for Femoral Fracture/Aspirin Is as Effective as and Safer Than Warfarin for Patients at Higher Risk of Venous Thromboembolism Undergoing Total Joint Arthroplasty	14.1/.4/۲۲
دکتر رسولی	دكتر عسكرى	Preperitoneal Pelvic Packing for Hypotension Has a Greater Risk of Venous Thromboembolism Than Angioembolization/Radiographic and MR imaging of the athletic hip	14.1/.4/۲9
دكتر داورپناه	دكتر نيكخواه	Timing of manipulation under anaesthesia for stiffness after total knee arthroplasty/Weightbearing vs gravity stress radiographs for stability evaluation of supination-external rotation fractures of the ankle	14.1/.0/0
		تعطیلی رسمی	14.1/.0/17
دکنز خادمی	دکتر مزارعی	What's New in Musculoskeletal Tumor Surgery/Kinematically aligned TKA with MRI-based cutting guides. In: Thienpont E, editor. Improving accuracy in knee arthroplasty	14.1/.0/19
دکتر رسو	دکتر عسگر <i>ی</i>	Prevalence and annual incidence of vertebral fractures in patients with ankylosing spondylitis/Quantitative assessment of classic anteroinferior bony Bankart lesions by radiography and computed tomography	14.1/.0/۲۶
دکتر مشرقی	دکتر خواجه ای	Greater trochanteric versus piriformis fossa entry nails for femur shaft fractures: resolving the controversy/Aspirin Is as Effective as and Safer Than Warfarin for Patients at Higher Risk of Venous Thromboembolism Undergoing Total Joint Arthroplasty	14.1/.0/7
دکتر خادمی	دکتر مزارعی	A Technique Guide on Radiographic Imaging of the Shoulder, Hip, and Knee Joints/Fatal pulmonary embolism following elective total hip arthroplasty	14.1/.9/9
دکتر داورپناه	دكتر نيكخواه	Aspirin and the Hip_ Back to the Future_ A 70-Year History/Can a total knee arthroplasty be both rotationally unconstrained and anteroposteriorly stabilised? A pulsed fluoroscopic investigation	14.1/.9/19
دكتر داورپناه	دكتر نيكخواه	Autologous Costal Cartilage Grafting for a Large Osteochondral Lesion of the Femoral Head/The deltoid	14.1/.9/٢٣

	ı		
		ligament: an in-depth review of anatomy, function, and treatment strategies. Knee Surg Sports Traumatol Arthrosc.	
دکتر عسکری	دکتر عسکری	Comparison of the Effect of Intra-Articular, Periarticular, and Combined Injection of Analgesic on Pain Following Total Knee Arthroplasty-1/Endoscopic release of posterior tibial tendon sheath for stenosing tenosynovitis of posterior tibial tendon. Arthrosc Tech.	14.1/.9/٣.
دکتر خادمی	دکتر مزارعی	Poly mixin and bacitracin in irrigation solution avoid no benefit for bacterial killing in vitro/Risk factors for syndesmotic and medial ankle sprain: role of sex, sport, and level of competition.	14.1/.٧/9
دكتر رسولى	دکتر عسکری	تعطیلی رسمی	14.1/.7/17
دکتر مشرقی	دكتر خواجه ا <i>ي</i>	Genum wide association study of adhesive capsulitis risk factor/Intermediate and long-term quality of life after total knee replacement: a systematic review and meta-analysis	14.1/.٧/٢.
دکتز خادمی	دکتر مزارعی	Arthroscopic rotator cuff tear repair with and without acromioplasty in treatment of full thickness rotator cuff tear/Anatomic study of the medial side of the ankle base on the joint capsule: an alternative description of the deltoid and spring ligament	14.1/.٧/٢٧
دکتر داورپناه	دكتر نيكخواه	Contoneous femoral nerve block reduce need for manipulation following TKA/Local Coverage Determination for Total Knee Arthroplasty	14.1/./4
دکتر رسولی	دکتر عسکر <i>ی</i>	Non operative and operative treatment of finger and metacarp/Treatment of osteoarthritis of the knee: Evidence-based guideline, 2nd ed. Journal of the American Academy of Orthopaedic Surgeons	14.1/.//11
دکتر مشرقی	دکتر خواجه ای	Tear site and stiffness are important predictor in retear/The Role of Lower-Limb Geometry in the Pathophysiology of Atypical Femoral Fracture.	14.1/.//1/
دکتر رسولی	دكتر عسكرى	Cost of nonoperative treatment of knee OA\Tenosynovial fluid as an indication of early posterior tibial tendon dysfunction in patients with normal tendon appearance	14.1/.1/10
دكتر داورپناه	دكتر نيكخواه	Mid flexion AP stability of TKA with kinematic alignment\Subtalar arthrography	14.1/.9/٢

in recurrent instability of the ankle Osseo integration for lower extremity amputation/pediatric rool for personalize manegment of soft tissue sarcoma Post operative outcomne of pedicle screw instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral to suring parallel and the suring parallel and
amputation/pediatric rool for personalize manegment of soft tissue sarcoma Post operative outcomne of pedicle screw instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
manegment of soft tissue sarcoma Post operative outcomne of pedicle screw instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
Post operative outcomne of pedicle screw instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
instrumentality for adolescent idiopathic scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
scoliosis \problem case atypical femur fracture Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
Incompelete diaphyseal atypical femoral fracture due to increasing anterolateral
fracture due to increasing anterolateral
bowing\problem case olecranon open ا دختر عسكرى
fracture
Local infiltration vs interscalen block in
I SAMMANN I I SAMMANAM CASA MITACHIMA IN MANA I I I I I I I I I I I I I I I I I I
fracture of fore arm
Problem case sub trochanteric fx//Lateral
Bowing of Femur Associated
المالك ا
J
Lower Bone Mineral Density
THEOLO DEFENDE (ALTECHOOCIE)
THESIS DEFENCE/AUTOLOGOUS
costal cartiledge grafting of osteochondral ۱۴۰۱/۱۰/۱ دکتر داورپناه
lesion of femoral head
Risk factor for complication after primary ۱۴۰۱/۱۰/۲
repair of achill tendon tear
Theisis defence/comparing unilateral knee
arthroplasty and HTO for modial 15.1/1./1
دکتر عسکری compartment knee oa
Theisis defence/elbow to digit
measurement as a tool to aid
intramedullary femoral nail selection the
rool of thumbs
Antibiotic cemented coated locking plate
in per prosthetic infection/Surgical
Treatment of the Atypical Femoral ۱۴۰۱/۱۱/۱ دکتر مزارعی دکتر خادمی
Fracture: Overcoming
Femoral Bowing
Theisis defence/ the natural history of
benign bone tumor of ext. in ۱۴۰۱/۱۱/۱ دکتر نیکخواه دکتر داورپناه
asympthomatic chilren
Manegment of pediatric proximal
humerous fx/risk factor for upper ۱۴۰۱/۱۱/۱ دکتر مزارعی دکتر خادمی
ext.refracture in children
/۱۴۰۱/۱۲
Local infiltration vs interscalen block in
1 4 3 1 3 1 1 1
Total shoulder arthroplasty/problem case ۱۴۰۱/۱۲/۱ دکتر مشرقی
ا کثر مشرقی مشرقی Total shoulder arthroplasty/problem case ۱۴۰۱/۱۲/۱ tibia plateu fx
Total shoulder arthroplasty/problem case ۱۴۰۱/۱۲/۱ دکتر مشرقی
ا کثر مشرقی المین Total shoulder arthroplasty/problem case ای المین الم
Total shoulder arthroplasty/problem case tibia plateu fx
Total shoulder arthroplasty/problem case tibia plateu fx الا ۱۴۰۱/۱۲/۱ الا کتر مشرقی الا ۱۴۰۱/۱۲/۱ الا کتر مشرقی الا ۱۴۰۱/۱۲/۱ At a 10 years follow up tendon repair is superior to Pt in treatment of small
Total shoulder arthroplasty/problem case tibia plateu fx الاسمى
Total shoulder arthroplasty/problem case tibia plateu fx ۱۴۰۱/۱۲/۱ ۱۶۰۱/۱۲/۱ At a 10 years follow up tendon repair is superior to Pt in treatment of small